Author Index of Volume 198

Abdellaoui, M., 155
Abed, M., L9
Adachi, G., 31
Albert, L., 73
Andersson, M., L15
Andreev, A.V., 43

Badurski, D., L5
Barradi, T., 155
Bauer, E., 117
Beaury, L., 73
Biswas, A., 181
Blasse, G., 69
Bodak, O.I., 39
Boller, H., 25
Bose, D.K., 181
Brabers, J.H.V.J., L1, 127
Brisson, C., 133
Bronger, W., 177
Burkhardt, U., 91
Burkov, A.T., 117
Burzo, E., 55
Buschow, K.H.J., L1, 47, 59, 127

Chandra, G., 165
Chevalier, B., 133
Christodoulou, C.N., 1
Cieślak, J., L11

de Boer, F.R., L1, 127
Derouet, J., 73
Diakovich, V., 187
Drulis, M., 111
Dubiel, S.M., L11
Duijn, V.H.M., 127

Ellner, M., 91
Etourneau, J., 133

Folcik, L., L5

Gaffet, E., 143, 155
Garde, C.S., 165
Gasgnier, M., 73
Geibel, C., L5
Goodenough, J.B., 133
Goto, T., 43
Gratz, E., 117
Gribanov, A.V., 39

Hernández-Velasco, J., 63
Hirashima, Y., 31

Iandelli, A., 141
Ivanov, E., 105

Jacquault, P., 73
Jiang, J., 85

Kapusta, Cz., 59
Kim, Y.-G., L19
Klepp, K.O., 25

Lee, J.-Y., L19
Liu, X.D., 85
Loupy, A., 73
Lucaci, P., 55
Lupşa, I., 55

Machida, K., 31
Malhouroux-Gaffet, N., 143
Mulder, F.M., L1
Müller-Buschbaum, Hk., L9, L25, 101, 173, 193
Murase, K., 31

Nair, K.U., 181

Park, J.-M., L19
Pavlyuk, V.V., 39
Pecharsky, V.K., 39
Pei, Z., 51
Petit, A., 73

Rath, M., 193
Ray, J., 165
Resel, R., 117
Riedi, P.C., 59
Ruschewitz, U., 177

Sáez-Puche, R., 63
Salamakha, P.S., 39
Scherbakova, Ye.V., 43
Scheske, St., L25, 173
Schobinger-Papamantellos, P., 47
Seidel, B., L5
Seropegin, Yu.D., 39
Shinozaki, K., 31
Sing, M., 25
Sologub, O.L., 39
Soubeyroux, J.L., 133
Spassov, T., 187
Steglich, F., L5
Strunk, M., 101
Su, Q., 51
Sumiyama, K., 105
Suski, W., L5, 43
Suzuki, K., 105

Takeshita, T., 1
Thiel, R.C., L1
Tressaud, A., 133
Tuilier, M.H., 133

van Schaik, W., 69

Wang, J.T., 85
Wochowski, K., L5

Yamauchi, H., 105
Yanai, K., 105

Zaleski, A., L5
Zhang, J., 51
Zhu, J., 85

Elsevier Sequoia

Subject Index of Volume 198

Aluminium
  crystal structure of $Ba_6Sm_2Co_{2.5}Al_{1.5}O_{15}$, L9
  formation of elbow twins with pentagonal pseudosymmetry during solidification of Fe_4Al_{13}, 91
  crystal structure of $SrAl_8Ti_3O_{19}$, 101
  electronic transport properties of $La_xY_{1-x}Al_2$ alloys, 117
Aluminothermic reduction
  preparation of single-phase Cr_7C_3 by aluminothermic reduction, 181

Barium
  crystal structure of $Ba_6Sm_2Co_{2.5}Al_{1.5}O_{15}$, L9
  information on $Ba_7Ru_4O_{15}Br_2$, L25
  two further oxidative phases with 6L perivskite structure: $Ba_3CaRu_{1.5}Ta_{0.5}O_9$ amd $Ba_3CaRu_{0.5}Ir_{1.5}O_9$, 173
Boron
  a modified Johnson–Mehl–Avrami kinetic model of overall crystallization of Fe–Co–B metallic glasses, 187
Bromine
  information on $Ba_7Ru_4O_{15}Br_2$, L25

Caesium
  synthesis and structure of Cs_3FeSe_3, 177
Calcium
  two further oxidative phases with 6L perivskite structure: $Ba_3CaRu_{1.5}Ta_{0.5}O_9$ amd $Ba_3CaRu_{0.5}Ir_{1.5}O_9$, 173
Carbon
  preparation of single-phase Cr_7C_3 by aluminothermic reduction, 181
Cerium
  crystal structure of the compound $Ce_7Pd_4Ge_2$, 39
  two-step ferromagnetic ordering of $Ce_2Si_{3-\delta}$, 47
  mechanically induced valence fluctuation and new f.c.c. phase formation in the immiscible Ce–Yb alloy system, 105
Chemical vapour transporting
  rare earth separation using a chemical vapour transport process mediated by vapour complexes of the $LnCl_3$–$AlCl_3$ system, 31
Chlorides
  rare earth separation using a chemical vapour transport process mediated by vapour complexes of the $LnCl_3$–$AlCl_3$ system, 31
Chromium
  selective sulphidation of Fe–Cr alloys, L11
  ternary phase equilibria in the (Cr, Mo, W)–In–P systems at 600 °C, L15
  preparation of single-phase Cr_7C_3 by aluminothermic reduction, 181
Cobalt
  crystal structure of $Ba_6Sm_2Co_{2.5}Al_{1.5}O_{15}$, L9
  magnetic properties of $xUCo_{5.3}(1-x)UNi_5$ compounds, 55
  a modified Johnson–Mehl–Avrami kinetic model of overall crystallization of Fe–Co–B metallic glasses, 187
Copper
  preparation and crystal structure of $Na_7Cu_{12}S_{10}$, a mixed valent thiocuprate with a pseudo-one-dimensional structure, 25

Crystal structure
  crystal structure of the compound $Ce_7Pd_4Ge_2$, 39
  two-step ferromagnetic ordering of $Ce_2Si_{3-\delta}$, 47

1D-antiferromagnetism
  dimorphism and magnetic properties of Dy_2BaCoO_5, 63
3D-antiferromagnetism
  dimorphism and magnetic properties of Dy_2BaCoO_5, 63
Dimorphism
  dimorphism and magnetic properties of Dy_2BaCoO_5, 63

Elasticity
  discussions on the hysteresis behavior in the Zr-based Laves phases, L19
Electrical resistivity
  preparation, structure and properties of nanocrystalline FeMoSiB alloys, 85
Electric field gradient
  nuclear magnetic resonance of samarium in $Sm_xY_{2-x}Co_{17}$, 59
Electronic transport
  electronic transport properties of $La_xY_{1-x}Al_2$ alloys, 117

Fe–Si alloys
  solid state reaction induced by post-milling annealing in the Fe–Si system, 143
  mechanism of mechanical alloying phase formation and related magnetic and mechanical properties in the Fe–Si system, 155

Germanium
  crystal structure of the compound $Ce_7Pd_4Ge_2$, 39

Hydrides
  preparation, structural and magnetic properties and stability of interstitial Sm_2Fe_{17}-carbonitrohydrides, 1
Hydrogen
  low temperature specific heat and IR spectroscopy of EuD_2 and YbH_2, 111
Hydroxides
  chemical syntheses by means of microwave digestion as a focused open-vessel system: structural properties of oxides and hydroxides as powders, 73
Hyperfine fields
  ^{155}Gd Mössbauer effect and magnetic properties of $GdMn_{6-x}Cr_xGe_6$, L1
  nuclear magnetic resonance of samarium in $Sm_xY_{2-x}Co_{17}$, 59

Intermetallic compounds
  formation of elbow twins with pentagonal pseudosymmetry during solidification of Fe_4Al_{13}, 91
Interstitial solid solutions
  preparation, structural and magnetic properties and stability of interstitial Sm_2Fe_{17}-carbonitrohydrides, 1
Iron
  selective sulphidation of Fe–Cr alloys, L11
  luminescence of Fe^{3+} in $LaPO_4$, 69

formation of elbow twins with pentagonal pseudosymmetry during solidification of Fe_4Al_{13}, 91
synthesis and structure of Cs_3FeSe_3, 177
a modified Johnson–Mehl–Avrami kinetic model of overall crystallization of Fe–Co–B metallic glasses, 187
IR spectroscopy
low temperature specific heat and IR spectroscopy of EuD_2 and YbH_2, 111

Kinetics
a modified Johnson–Mehl–Avrami kinetic model of overall crystallization of Fe–Co–B metallic glasses, 187

Lanthanum
electronic transport properties of $La_xY_{1-x}Al_2$ alloys, 117
resistivity and thermopower studies on La_3X (X ≡ Al, Sn, In, Ru, Ir, Co, Ni, Ge, Ga) systems, 165
Luminescence
the valence change from RE^{3+} to RE^{2+} (RE ≡ Eu, Sm, Yb) in SrB_4O_7: RE prepared in air and the spectral properties of RE, 51
luminescence of Fe^{3+} in $LaPO_4$, 69

Magnetic ordering
^{155}Gd Mössbauer effect and magnetic properties of $GdMn_{6-x}Cr_xGe_6$, L1
Magnetic properties
^{155}Gd Mössbauer effect and magnetic properties of $GdMn_{6-x}Cr_xGe_6$, L1
magnetic, electric and thermal properties of $UNi_{10}Si_2$ and $UNi_8Cu_2Si_2$ intermetallics, L5
preparation, structural and magnetic properties and stability of interstitial Sm_2Fe_{17}-carbonitrohydrides, 1
magnetic properties of $LuFe_{10-x}Al_xSi_2$ quasi-ternaries compared with $UFe_{10-x}Al_xSi_2$, 43
two-step ferromagnetic ordering of $Ce_2Si_{3-\delta}$, 47
magnetic properties of $xUCo_{5.3}(1-x)UNi_5$ compounds, 55
low temperature specific heat and IR spectroscopy of EuD_2 and YbH_2, 111
magnetic properties of rare-earth manganese compounds of the RMn_6Ge_6 type, 127
mechanism of mechanical alloying phase formation and related magnetic and mechanical properties in the Fe–Si system, 155
Mechanical alloying
mechanically induced valence fluctuation and new f.c.c. phase formation in the immiscible Ce–Yb alloy system, 105
solid state reaction induced by post-milling annealing in the Fe–Si system, 143
mechanism of mechanical alloying phase formation and related magnetic and mechanical properties in the Fe–Si system, 155
Mechanical properties
discussions on the hysteresis behavior in the Zr-based Laves phases, L19
Microhardness
preparation, structure and properties of nanocrystalline FeMoSiB alloys, 85
Microwave digestion
chemical syntheses by means of microwave digestion as a focused open-vessel system: structural properties of oxides and hydroxides as powders, 73
Mixed valent thiocuprates
preparation and crystal structure of $Na_7Cu_{12}S_{10}$, a mixed valent thiocuprate with a pseudo-one-dimensional structure, 25
Molybdenum
ternary phase equilibria in the (Cr, Mo, W)–In–P systems at 600 °C, L15
the crystal structure of $AgLnMo_2O_8$: Investigation of single crystals $AgSmMo_2O_8$ and $AgYbMo_2O_8$ with microcrystalline material, for Ln ≡ Y, La, 193
Mössbauer spectroscopy
selective sulphidation of Fe–Cr alloys, L11

Nanocrystals
preparation, structure and properties of nanocrystalline FeMoSiB alloys, 85
Neutron diffraction
two-step ferromagnetic ordering of $Ce_2Si_{3-\delta}$, 47
new K_2NiF_4-type superconductors obtained by Cl_2 treatment: synthesis, neutron diffraction and X-ray absorption spectroscopy characterization, 133
Nuclear magnetic resonance
nuclear magnetic resonance of samarium in $Sm_xY_{2-x}Co_{17}$, 59

Oxides
dimorphism and magnetic properties of Dy_2BaCoO_5, 63
chemical syntheses by means of microwave digestion as a focused open-vessel system: structural properties of oxides and hydroxides as powders, 73
new K_2NiF_4-type superconductors obtained by Cl_2 treatment: synthesis, neutron diffraction and X-ray absorption spectroscopy characterization, 133

Palladium
crystal structure of the compound $Ce_7Pd_4Ge_2$, 39
Phase relationships
ternary phase equilibria in the (Cr, Mo, W)–In–P systems at 600 °C, L15
Phase transitions
dimorphism and magnetic properties of Dy_2BaCoO_5, 63
Phosphors
the valence change from RE^{3+} to RE^{2+} (RE ≡ Eu, Sm, Yb) in SrB_4O_7: RE prepared in air and the spectral properties of RE, 51
Post-milling annealing
solid state reaction induced by post-milling annealing in the Fe–Si system, 143
Powders
chemical syntheses by means of microwave digestion as a focused open-vessel system: structural properties of oxides and hydroxides as powders, 73
Pressure effects
magnetic properties of rare-earth manganese compounds of the RMn_6Ge_6 type, 127

Rare-earth intermetallics
magnetic properties of $LuFe_{10-x}Al_xSi_2$ quasi-ternaries compared with $UFe_{10-x}Al_xSi_2$, 43
Rare earth separation
rare earth separation using a chemical vapour transport process mediated by vapour complexes of the $LnCl_3$–$AlCl_3$ system, 31
RCuGe compounds
the structure of ternary phases of rare earths with RCuGe composition, 141
Resistivity
magnetic, electric and thermal properties of $UNi_{10}Si_2$ and $UNi_8Cu_2Si_2$ intermetallics, L5

resistivity and thermopower studies on La_3X (X≡Al, Sn, In, Ru, Ir, Co, Ni, Ge, Ga) systems, 165
RMn_6Ge_6 compounds
magnetic properties of rare-earth manganese compounds of the RMn_6Ge_6 type, 127
Ruthenium
information on $Ba_7Ru_4O_{15}Br_2$, L25
two further oxidative phases with 6L perivskite structure: $Ba_3CaRu_{1.5}Ta_{0.5}O_9$ amd $Ba_3CaRu_{0.5}Ir_{1.5}O_9$, 173

Samarium
crystal structure of $Ba_6Sm_2Co_{2.5}Al_{1.5}O_{15}$, L9
nuclear magnetic resonance of samarium in $Sm_xY_{2-x}Co_{17}$, 59
the crystal structure of $AgLnMo_2O_8$: Investigation of single crystals $AgSmMo_2O_8$ and $AgYbMo_2O_8$ with microcrystalline material, for Ln≡Y, La, 193
Selenium
synthesis and structure of Cs_3FeSe_3, 177
Silicon
two-step ferromagnetic ordering of $Ce_2Si_{3-\delta}$, 47
Silver
the crystal structure of $AgLnMo_2O_8$: Investigation of single crystals $AgSmMo_2O_8$ and $AgYbMo_2O_8$ with microcrystalline material, for Ln≡Y, La, 193
Single crystals
crystal structure of $SrAl_8Ti_3O_{19}$, 101
Sm_2Fe_{17}
preparation, structural and magnetic properties and stability of interstitial Sm_2Fe_{17}-carbonitrohydrides, 1
Sodium
preparation and crystal structure of $Na_7Cu_{12}S_{10}$, a mixed valent thiocuprate with a pseudo-one-dimensional structure, 25
Solid solutions
magnetic properties of $LuFe_{10-x}Al_xSi_2$ quasi-ternaries compared with $UFe_{10-x}Al_xSi_2$, 43
Specific heat
low temperature specific heat and IR spectroscopy of EuD_2 and YbH_2, 111
Spin fluctuation
magnetic properties of $xUCo_{5.3}(1-x)UNi_5$ compounds, 55
Strontium
crystal structure of $SrAl_8Ti_3O_{19}$, 101
Structure determination
the structure of ternary phases of rare earths with RCuGe composition, 141
Sulphidation
selective sulphidation of Fe–Cr alloys, L11
Sulphur
preparation and crystal structure of $Na_7Cu_{12}S_{10}$, a mixed valent thiocuprate with a pseudo-one-dimensional structure, 25
Superconductors
new K_2NiF_4-type superconductors obtained by Cl_2 treatment: synthesis, neutron diffraction and X-ray absorption spectroscopy characterization, 133

Thermal properties
magnetic, electric and thermal properties of $UNi_{10}Si_2$ and $UNi_8Cu_2Si_2$ intermetallics, L5
Thermopower
resistivity and thermopower studies on La_3X (X≡Al, Sn, In, Ru, Ir, Co, Ni, Ge, Ga) systems, 165
Titanium
crystal structure of $SrAl_8Ti_3O_{19}$, 101
Transition metals
luminescence of Fe^{3+} in $LaPO_4$, 69
Tungsten
ternary phase equilibria in the (Cr, Mo, W)–In–P systems at 600 °C, L15

Uranium
magnetic properties of $LuFe_{10-x}Al_xSi_2$ quasi-ternaries compared with $UFe_{10-x}Al_xSi_2$, 43

Valency
the valence change from RE^{3+} to RE^{2+} (RE≡Eu, Sm, Yb) in SrB_4O_7: RE prepared in air and the spectral properties of RE, 51

Ytterbium
mechanically induced valence fluctuation and new f.c.c. phase formation in the immiscible Ce–Yb alloy system, 105
Yttrium
electronic transport properties of $La_xY_{1-x}Al_2$ alloys, 117

Zirconium
discussions on the hysteresis behavior in the Zr-based Laves phases, L19